Reef Breeders Controllable Series Programming Instructions





'up' and 'down' : Scrolls between options , 'left' and 'right': Changes the values/options

Tip: If you hold the left key for 1 second while at the main menu, the LCD screen will turn off. The fixture will continue to operate, and if you want to change your settings, simply hold the left arrow key down for 1 second, and the screen will turn back on.



Switches the programming mode, confirms the settings, and turns the unit on or off (hold for 3 seconds).



Returns to the previous page/opens the menu options

Initial Setup

Plug the unit in, and it will power up. If the unit does not turn on right away, you can turn it on by holding down the for about 3 seconds.


Setting the Date/Time






to save the settings. Keep in mind, it is 24 hour, or military time, so 10pm would be displayed as 22:00, for example.

Manual, Sunny, Cloudy, or Moon Settings






kev




Press

again to save your settings.

Custom Programming



Factory Reset



then press VV, and your unit will reset to the factory default settings. Keep in mind; all of your programmed settings will be deleted.

Recommended Settings

We recommend starting out at around 25% power max on both channels, and adding about 10% a week, until you reach about 70%-80% power. Have the unit on for 12 hours throughout the day, start lower than your maximum power, and increase the intensity over about 2 or 3 hours. In the middle of the day, the light should be on at your maximum intensity (described in the first sentence of this paragraph). 2-3 hours before the end of your 12 hour day, start gradually dimming the unit, until it turns off at the 12 hour mark.